केन्द्रीयविद्यालयराजकोट KENDRIYA VIDYALAYA RAJKOT

KALAWAD ROAD, RAJKOT – 360 005

E-mail:-<u>kvrajkot@yahoo.com</u>

Website:- वेबसाइट: - www.rajkot.kvs.ac.in

Phone: 0281-2577350 Fax 0281-2588778



कालावाडरोड, राजकोट - 360 00⁵ ई - मेल: kvrajkot@yahoo.com वेबसाइट: - www.rajkot.kvs.ac.in फोन: 0281-2577350 फैक्स 0281-2588778

CBSE Affiliation No: 400006

School Code 03072

No.F. - kv/2023-24/ (10

Date:

29-04-2023

केंद्रीयविद्यालय राजकोट

(Address) : Kendriya Vidyalaya Rajkot

निविदा सूचना:

संगणकव सम्बंधित यंत्रों की खरीद के अनुबन्ध हेतु निविदा आमंत्रण

Sub: "Invitation for Quotations for , procurement of computer and related items.

Sir/Madam,

- 1. The Kendriya Vidyalaya Sangathan, a centrally funded Autonomous Body, is a Society registered under Societies' Registration Act, 1860. The Sangathan administers the Scheme of Kendriya Vidyalayas set up for imparting education to the children of transferable Central Govt. Employees.
- 2. Sealed competitive quotations from the Registered Firms are invited by the undersigned on behalf of the Kendriya Vidyalaya Rajkot for supply of the following items/services:-

	Brief description of goods	Sno	PART II Specifications	Quantity (approx)	
rs	Motherboard	1	For Amd A10 7800	As per requirement	
10	-	2	For P4 Processor		
	+	3	For Dual Core Processor		
		4	For Core 2 Duo processor		
	-	5	For Core i5 processor		
		6	For Amd Athlon 64		
			For Amd A10 6700 APU		
		7	AMD Ryzen 7 PRO 2700 Eight-Core Processor 3.19	1	
		8	Gliz	1	
	Processor	9	P4 3.0 GHz		
		10	Amd A10 7800 3.5 GHz	-	
		11	Intel Celeron 2.93 GHz	-	
	7	12	Pentium D 1.6 GHz	-	
	7	13	AMD 2.6 GHz	-	
		14	Intel dual core 1.6 GHz	4	
	7	15	Intel core 2 duo 2.66 GHz	-	
		16	Intel core2 duo 2.93 GHz		
		17	Intel core2 duo 3.6 GHz	4	
		18	Core i5 3.2GHz	_	
		19	For Amd Athlon 64	_	
		20	Amd A10 6700 APU		
		21	AMD Ryzen 7 PRO 2700 Eight-Core Processor 3.19		
	RAM	22	DDR 256 MB		
	- NA	23	DDR 512 MB	1	
	_	24	DDR 1 GB	7	
	-	25	DDR2 1 GB		
	- 	26	DDR2 2 GB	-	
	\dashv	27	DDR2 4 GB	-	
	-	28	DDR3 1 GB		
	_	29	DDR3 2 GB	-	
	_	30	DDR3 4 GB	\dashv	
	Hard disk	31	80 GB SATA	-	
	maru disk	32	160 GB SATA	-	
6	\dashv	33	250 GB SATA	-	
1		33	320 GB SATA	\dashv	
	'	35	500GB SATA	-	
			1 TB SATA	-	
		36	2 TB SATA	_	
		37	4 TB SATA	_	
	Writer	38	External USB CD/DVD USB 3.0		
	- Willer	39	External USB BLUE RAY 3.0	-	
	Fan	40	CPU fan		
		41		_	
	Monitor	42	EHT		
		43	VGA cable		
		44	Power cable		
	For Law Dilate	45	Display panel for LCD monitor		
	For Laser Printer	46	TEFLON Roller		
	HP All in one 3020 LNB Parts	47	Printer Logic Board		
		48	Drum		
	7	49	Roller Cleaning Blade		

	-	51	Magnet Rod	
		52	Toner PCR	
		53	Toner wiper bled	
		54	Toner Cartridge	
		55	Toner Refilling	
		56	Scanner	
For Laser	Printer	57	TEFLON Roller	As per requirement
		58	Printer Logic Board	
HP MFP 1	136 Parts Laserjet	59	Drum	
		60	Roller	
		61	Cleaning Blade	
		62	Magnet Rod	
		63	Toner PCR	
		64	Toner wiper bled	
			Toner Cartridge	
		65	Toner Refilling	
		66	Scanner	
		67	TEFLON Roller	
For Laser I	rinter	68		
		69	Printer Logic Board	
Canon 3010	laser printer Parts	70	Drum	
		71	Roller	
		72	Cleaning Blade	
		73	Magnet Rod	
		74	Toner PCR	
		75	Toner wiper bled	
		76	Toner Cartridge	
		77	Toner Refilling	
For Laser P	rinter	78	TEFLON Roller	
Xerox 3117	laser printer Parts	79	Printer Logic Board	
		80	Drum	
		81	Roller	
		82	Cleaning Blade	
		83	Magnet Rod	
		84	Toner PCR	
		85	Toner wiper bled	
		86	Toner Cartridge	
		87	Toner Refilling	
For Laser P	rinter	88	TEFLON Roller	As per requirement
HF	Laserjet1007	89	Printer Logic Board	
Parts		90	Drum	
		91	Roller	
		92	Cleaning Blade	
		93	Magnet Rod	
		94	Toner PCR	
			Toner wiper bled	
		95	Toner Cartridge	
		96	Toner Refilling	
		97	TEFLON Roller	As per requirement
For Laser Pi		98	Printer Logic Board	·
Cai	non LBP 3300 Parts	99		
		100	Drum	
		101	Roller	· · · · · · · · · · · · · · · · · · ·
		102	Cleaning Blade	
		103	Magnet Rod	

		104	Toner PCR	
-	White the second state of	104	Toner wiper bled	
		106	Toner Cartridge	•
-	The state of the s	107	Toner Refilling	
		108	Scanner	
	For Laser Printer	109	TEFLON Roller	
	HP 1020 Parts	110	Printer Logic Board	
		111	Drum	
		112	Roller	
		113	Cleaning Blade	
		114	Magnet Rod	
		115	Toner PCR	
		116	Toner wiper bled	
		117	Toner Cartridge	
		118	Toner Refilling	1
		119	Scanner	1
	For Laser Printer	120	TEFLON Roller	As per requirement
	HP 3020 Parts	121	Printer Logic Board	1
		122	Drum	
		123	Roller	
		124	Cleaning Blade	
		125	Magnet Rod	
		126	Toner PCR	1
		127	Toner wiper bled	
		128	Toner Cartridge	1
		129	Toner Refilling	
		130	Scanner	
	For Laser Printer	131	TEFLON Roller	As per requirement
		132	Printer Logic Board	1
	Canon MF241D Parts	133	Drum	7
	Canal And Canal	134	Roller	1
		135	Cleaning Blade	-
		136	Magnet Rod	7
		137	Toner PCR	-
		138	Toner wiper bled	-
		139	Toner Cartridge	
		140	Toner Refilling	-
		141	Scanner	-
	Network Switch	141	8 Port	As per requirement
	- 1000000000000000000000000000000000000	142	16 Port	
	-	143	24 Port	-
- 13	For power supply		SMPS for computer	_
100	For power supply	145	Power supply for DVR System	_
er.	Input device		Keyboard	As per requirement
		147		
	Input device	148	Mouse	
	Input device	149	Keyboard iball	
·	Input device	150	Mouse iball optical scroll	
	Output device(Speaker)	151	Set of Speaker pair for desktop PC (16 Woutput)	
	Switch Rack	152	For 24 Port Switch	
		153	(With Installation Charges)	
1	Blank DVD	154	Once Writeable With cover	
	Blank Blue Ray Disk	155	Once Writeable With cover	As per requirement
	Converter	156	USB to PS2	As per requirement

3777	Switch	157	24 ports 1000 MBPS	As per requirement	
	Switch	158	16 Port 1000 MBPS	As per requirement	
	Switch	159	8 Port 1000 MBPS	As per requirement	
	Cable	160	Cat 6 [DGLink / DLink](specify for permeter)	As per requirement	
	10 Box	161	Standard size for internet point		
	Connectors	162	RJ 45		
	Casing	163	PVC(specify for per meter)		
	Installation Charges	164	Installation of new LAN connections and testing(specify for per meter)		
	Installation Charges	165	PVC Installation(specify for per meter)		
	Anti Virus Software	166	Quick Heal Total security 2019/2020 for 1 year	10 User	
	(As per requirement)	167		5 User	
		168		3 User	
		169		1 user	
	UPS Battery	170	Amaron 12V 26AH 12AL 026 for Power Raser 6 KVA online UPS	as per requirement	
	UPS Battery	171	For Small (500 / 600) VA UPS	as per requirement	
	External Hard Disk	172	USB 2 TB	as per requirement	
	Cable	173	VGA Y Splitter	as per requirement	
	Web Camera	174	16 MP Built in Mic HD video call	as per requirement	
	Michrophone	175	PC Desktop Mic with 12 inchgoosenech	as per requirement	
	cable	176	Male Female PS2 Connecting cable	As per requirement	
	Cable	177	Male Female USB Connecting cable	As per requirement	
	Pendrive	178	32 GB	As per requirement	
	Pendrive	179	64 GB	As per requirement	
	Speaker	180	2.1 With Woofer	As per requirement	
	•	181	USB Cable Projector to CPU 10 mtr.	As per requirement	
	USB Cable	182	USB Cable extension cable 10mtr.	As per requirement	
	USB Cable		Printer Switch	As per requirement	
	USB Switch	184	USB Printer Cable	As per requirement	
. 6	USB Printer Cable	185	6 TB SATA (Internal)	As per requirement	
	Hard Disk	188		As per requirement	
gr.	Hard Disk	189		As per requirement	
	UPS	190	600 VA	As per requirement	
	Spike Guard	191	3 Pin 4 Socket for power		
	Wifi Receiver	192	For Pc	As per requirement	
	Router	193	For Providing internet with wifi	As per requirement	
	Keyboard	194	Wireless	As per requirement	
	Mouse	195	Wireless	As per requirement	
	Ink Refiling Black	196	For Epson L655 Wi-Fi Duplex All-in-One Ink	As per requirement	
	Ink Refiling colour	197	Tank Printer For Epson L655 Wi-Fi Duplex All-in-One Ink	As per requirement	
	External hard disk	198	Tank Printer SSD 120 GB	As per requirement	
	External hard disk	198	SSD 500 GB	As per requirement	
36	Printer head cleaning	200	For Epson L655 Wi-Fi Duplex All-in-One Ink	As per requirement	
			Tank Printer Canon LBP 3300	As per requirement	
	Laser Printer formatter	201	Canon MF241D	As per requirement	
	-	202	HP All in one 3020 LNB Laser	As per requirement	
	-	203	HP MFP 1136 Laserjet As per requ		
	RAM	205	DDR 4 4 GB	As per requirement	
	18/8/11	203	DDR4 8 GB	As per requirement	

-				As non magnitude
Patch Cable		207	3 Mtr	As per requirement
USB HUB		208	For Multiple usb connections	As per requirement
SONY PROJECTOR PARTS		209	Lens	As per requirement
MODEL	VPL EW578	210	Indicator lamps	As per requirement
		211	Control panel	As per requirement
		212	Remote receiver	As per requirement
		213	Interface (connector) panel	As per requirement
		214	Speaker	As per requirement
		215	Security slot	As per requirement
		216	Adjustable feet	As per requirement
		217	Security lock	As per requirement
		218	Intake vents	As per requirement
		219	Exhaust vent	As per requirement
		220	Power connector	As per requirement
		221	Main power	As per requirement
		222	PROJECTOR POWER CABLE	As per requirement
		223	PROJECTOR DATA CABLE	As per requirement
GLOBUS PARTS	PROJECTOR	224	Lens	As per requirement
MODEL	ULTRA 40U	225	Indicator lamps	As per requirement
1110000		226	Control panel	As per requirement
 			Remote receiver	As per requirement
	1,000	227		As per requirement
		227	Interface (connector) panel	As per requirement
			,	
	4.	228	Interface (connector) panel	As per requirement
	4	228 229	Interface (connector) panel Speaker	As per requirement As per requirement
		228 229 230	Interface (connector) panel Speaker Security slot *	As per requirement As per requirement As per requirement
		228 229 230 231	Interface (connector) panel Speaker Security slot * Adjustable feet	As per requirement As per requirement As per requirement As per requirement
		228 229 230 231 232	Interface (connector) panel Speaker Security slot * Adjustable feet Security lock	As per requirement
		228 229 230 231 232 233	Interface (connector) panel Speaker Security slot * Adjustable feet Security lock Intake vents	As per requirement
		228 229 230 231 232 233 234	Interface (connector) panel Speaker Security slot * Adjustable feet Security lock Intake vents Exhaust vent	As per requirement
		228 229 230 231 232 233 234 235	Interface (connector) panel Speaker Security slot * Adjustable feet Security lock Intake vents Exhaust vent Power connector	As per requirement
		228 229 230 231 232 233 234 235 236	Interface (connector) panel Speaker Security slot * Adjustable feet Security lock Intake vents Exhaust vent Power connector Main power	As per requirement

Rates should be quoted separately for each of items mentioned above.

Terms and conditions are as follows:

17-05-2023

- Sealed quotation are invited by the undersigned upto 11:00 am Quotations should be sent under strong sealed cover marked as "Quotation for the supply of computers and items ". The prices should be quoted in Indian Rupees only; Each bidder shall submit only one quotation; Telex or Facsimile quotations are not acceptable The rates should be mentioned for list given above as it is , they will not add/delete or modify the list given above for required items , otherwise the firm will be considered non responsive.
- The no. of Items / Services may be Increased or Decreased time to time as per requirement Please mentioned the rate for per unit price. The rate should include GST, excise duty, sales tax, freight charges or any other taxes rates of imposition whatever liable in respect of the supply. The Vidyalaya shall not be liable to pay any tax, freight etc. which has been expressly stipulate in the quotation in the event of acceptance of the quotation.
- There should not be any overwriting or corrections in the quotation. Party should quote after (iii) physically checking the concerned item. This office will evaluate and compare the quotations determined to be substantially responsive i.e., which are; properly signed, and confirm to the terms and conditions and specifications.

The evaluation would be done for all the items put together. The bidder who has quoted for partial quantity / value of any one or more item(s) would be treated as non-responsive. The office will award the contract to the responsive bidder whose total cost for all the items put together is the lowest.

- The undersigned does not bind himself to accept the lowest quotation and reserves the right to accept the quotation in whole or in part i.e. with respect to all articles mentioned in the quotation.
- On acceptance of the quotation it will become a work order and shall be bound by the terms and (v) condition of the quotation.
- (vi) The quotation shall remain valid for a period not less than 60 days after the deadline specified for submission of quotations. The rates quoted for the above articles by the contractor shall hold uptol year from the date of work order. No amendment in the rates will be accepted.
- Quotation which do not comply with the above conditions are liable to be rejected. (vii)
- These instruction to tenders are to be signed by the contractors and returned with the tender. (viii)
- Bid security amount 3% will be deposited by bidder with submission of quotation. (ix)
- An amount of 10% will be deposited as security performance amount after acceptance (x)

Yours faithfully

.Signature । हस्ताक्षर २९/०५/23 Name: G प्राथम्बीव्यो वि राजकोट

Designation : Principal / पदनाम:प्राचार्य

K V Rajkot / केन्द्रीयविद्यालयराजकोट

For and on behalf of the

of contract.

FORMAT OF QUOTATION

SINo.	Description of goods / equipment/Service	Brief specifications / Sr. No.	Quantity	Unit /Pkt Rate (Rs.)	Total Amount without GST	GST Rate in (%)	GST Amount	Total Amount including all taxes.
1.								
2.								
3.								
4.								
5.								
6.								
7.								
8.								
9.								

We agree to supply the above goods/services in accordance with the specifications for the above mention unit price shown against the item(s) for which quotations have been submitted, within the period specified in the Invitation for Quotations,

We also confirm that the normal commercial warranty/guarantee of Months shall

apply to the offered	goods.	
Bid Security	of Rs	
(Rupees) is furnished herewith vide Bank
Draft No	dated	drawn on
accordance with the contract price of	technical specificatio	ance Contract of the above mentioned items in ns and Model Maintenance Agreement for a total(in figure(in words) for the period specified in the
		Signature:
		Name :